


Humberto Varum  
SSMU, ISIS, JRC  
I-21020 Ispra (IT)  
humberto.varum@jrc.it



Ema Coelho  
C3ES - LNEC  
Portugal  
ema.coelho@lneec.pt



Eduardo Carvalho  
C3ES - LNEC  
Portugal  
eccarvalho@lneec.pt



Artur Pinto  
SSMU, ISIS, JRC  
I-21020 Ispra (IT)  
artur.pinto@jrc.it

## **Dynamic Nonlinear Analyses for the 4-Storey Infilled R/C Frame. Study of a Retrofitting Solution**

### ***Resumo***

O estudo aqui apresentado concentra-se numa solução de reforço de um pórtico utilizando contraventamentos (k-bracing) com perfis de aço em conjunto com elementos elastoméricos de dissipação. Os resultados das análises não lineares da estrutura com e sem alvenaria e com reforço são apresentados e discutidos. Na segunda parte da comunicação apresentam-se os resultados experimentais já disponíveis e discute-se o problema da modelação recorrendo aos resultados experimentais e comparando os resultados obtidos com diferentes tipos de modelos.

### ***Abstract***

A research project on assessment and retrofitting of R/C frame structures is currently being developed under the research programme of the ICONS TMR-research network. This paper presents and discusses the preliminary experimental results from a 4-storey bare frame representative of the common practice of 40~50 years ago in most south European countries and devotes special attention to the study of a retrofitting solution based on bracing and rubber dissipaters, which intends to increase stiffness and damping reducing consequently the earthquake deformation demands.

## **1. INTRODUCTION**

The recent earthquakes have dramatically demonstrated that research in earthquake engineering must be directed to the assessment and strengthening of existing constructions lacking of appropriate seismic resisting characteristics. The very recent 'European earthquakes' (e.g. Italy-1997, Turkey - August 1999, Greece - September 1999) confirm and highlight that also Europe may suffer from the vulnerability of the existing building stock.

There is an increasing effort devoted to the issue; however, it is also recognised the great difficulties of the problem. In fact, it involves several actors namely the earthquake engineering community, policy makers and building owners who must work together for a successful end. To the EE community should be assigned the following tasks: development of effective retrofitting solutions and techniques and development of codified re-design methods and rules allowing their widespread application by the technical community

Along these lines, a European project, the ICONS project, financed by the TMR programme of the Commission, was recently set-up. Under the ICONS-Topic 2 - Assessment, Strengthening and Repair research programme it is foreseen to test pseudodynamically two full-scale reinforced concrete frames, which are supposed to be representative of the design and construction practice of 40~50 years ago in most of south European, Mediterranean countries. Design of these frames was performed at LNEC by (Carvalho et al., 1999) under the framework of the ICONS project and the tests will be carried out at the ELSA laboratory of the Joint Research Centre financed by the TMR-Programme, Access to Large-scale Facilities.



Aiming at a preliminary assessment of the structure and to evaluate the effectiveness of different retrofitting solutions several ICONS participants are performing non-linear analyses and are also studying different retrofitting solutions. The LNEC and the JRC are active partners in ICONS and are also participating in this sort of benchmark. In addition to the non-linear analysis of the frames, the JRC is assessing the effectiveness of a retrofitting solution based on bracing with rubber dissipaters. A preliminary analytical assessment of the frame capacity was made by Griffith (Griffith, 1998) who made also a simplified design of the bracing system. The final design of the bracing system was made by Taucer (Taucer, 1999) without taking into account the infill panels.

This paper summarises the results from the non-linear analyses of the structure considering several cases, namely: the bare frame (Frame), the infilled frame (Frame + Inf), the retrofitted frame (Frame + Inf + Ret) and the retrofitted frame without infill panels (Frame + Ret). The experimental results from the bare frame tests are briefly presented and discussed.

## **2. STRUCTURE, MATERIALS, LOADS AND RETROFITTING SOLUTION**

*Structure geometry and material properties* - The dimensions of the building and section details are shown in Fig. 1. It can be seen in the elevation and plan drawings (Fig. 1) that the

storey heights are 2.7m and there are two 5m span bays and one 2.5m span bay. Brick masonry infill (200 mm thick) is contained within each bay. The left-hand bay infill contains a window (1.2 x 1.1m) at each of the 4 levels. The central bay contains a doorway (2.0 x 1.9m) at ground level and window openings (2.0 x 1.1m) in each of the upper 3 levels of the building. The right-hand (2.5m span) bay contains solid infill (i.e., without openings). It should be noted that the longitudinal reinforcing steel was smooth round bars, not the deformed steel bars used for reinforcement today. All beams in the direction of loading are 250mm wide and 500mm deep. The transverse beams are 200mm wide and 500mm deep. The concrete slab thickness is 150 mm. The column splice joint detail and the column stirrup detail should be noted in particular. Their likely poor seismic performance will be discussed later.



The *mean values* for the material properties are shown in Tab. 1.

Tab. 1: Material properties

Material	Relevant Properties ( <i>mean values</i> )
Steel (FeB22k)	$f_{sy} = 235 \text{ MPa}$ $f_{su} = 365 \text{ MPa}$ $\varepsilon_{su} = 29.9\%$ $E_s = 200 \times 10^3 \text{ MPa}$
Steel (tests results)	$f_{sy} = 337 \text{ MPa}$ $f_{su} = 455 \text{ MPa}$ $\varepsilon_{su} = 25.0\%$
Concrete (C16/20)	$f_{cu} = 24 \text{ MPa}$ $\varepsilon_{cu} = 0.2\%$ $f_{tu} = 1.9 \text{ MPa}$ $E_c = 20 \times 10^3 \text{ MPa}$

*Vertical loads, masses and input motions* - For the analyses, vertical distributed loads on beams and concentrated loads on the column nodes were considered, in order to simulate the dead load other than the self-weight of the frame (live-load, weight of partitions, finishing). Fig. 2 gives the details of the loads considered (Carvalho et al, 1998). The accelerograms considered in the non-linear analysis were derived from hazard consistent response spectra corresponding to several return periods. Accelerograms with 15 seconds were assumed. The storey masses

considered were: 40.0 tons for the last floor and 44.6 tons for the others. A Rayleigh damping of 2% for the first and second modes was considered.

*Retrofitting solution* - It is expected that the 4-storey RC frame under analysis will perform not satisfactorily for the earthquake motions corresponding to the ones assumed in the present design codes. Several deficiencies were identified in the structure, such as, inadequate dissipation/collapse mechanisms, inadequate detailing of members and joints. In order to improve the seismic performance of such a structure, a retrofitting intervention is required. There are three basic solutions to increase seismic performance of the structure, namely: to isolate the structure, to increase its deformation capacity and to increase its stiffness, strength and damping characteristics.

The retrofitting herein studied is based on the last solution. It is a bracing system with rubber dissipation devices, which will increase stiffness and damping of the system, reducing consequently the deformation demands.

The design of the bracing system, including the dissipation devices, was performed assuming (see Griffith, 1999) that 1% drift (27mm inter-storey drift) corresponds to the ultimate limit state for the frame under analysis. Furthermore, it was assumed that, for these deformation levels, the effects of the infill panels are negligible. Further, it was assumed that the peak base shear strength of the frame, for the 1% drift, is 150kN and the effective stiffness (secant stiffness) of the equivalent SDOF system with the mass located at  $2/3^{\text{rd}}$  of the total height of the building leads to a Period ( $T_s = 1.8 \text{ s}$ ).

The design displacement spectra for the different damping ratios were derived from a basic one for 5% damping (assumed to increase linearly from 0, for  $T=0$  seconds, to 200 mm for  $T=2$  seconds, and being constant for higher periods) using the following ‘correction factors’ ( $\text{SQRT}(5/\zeta)$ ).

For a 50-years non-exceeding probability of 10% a device is required at each storey with the characteristics given in Tab. 2.

Tab. 2: Characteristics of the Energy dissipation devices (one device)

1% Int.-Storey Drift	Location	DLF	F <sub>u</sub> (kN)	D <sub>u</sub> (mm)	F <sub>y</sub>	K <sub>t</sub>	Obs.
10% Non-Exceeding Probability	Storey 0-2	0.35	80	25	F <sub>u/3</sub>	K <sub>0</sub> / 10	1 device per storey (see Fig. 3)
	Storey 2-4		50	25			

Energy dissipation device loss factor – DLF; DLF =  $\tan \delta$ ;  $\delta = \sin^{-1} (2W/(\pi\Delta W))$ ; W - area surrounded by the hysteresis loop;  $\Delta W$  - half of the area of the rectangle that inscribes the hysteresis loop (=  $2F_{\max} \cdot D_{\max}$ )  
*Note: Devices are able to accommodate displacements and forces up to 140% of their nominal capacity (F<sub>u</sub>, D<sub>u</sub>)*




Fig. 3: Bracing system: Device details and General layout and Typical diagram for a device tested at ELSA under the project REEDS

### 3. MODELLING

The structure (reinforced concrete frame) has been modelled by beam elements with non-linear behaviour at the potential hinge zones (vicinity of the frame joints) and linear elements in the internal parts of the structural elements. Furthermore, an elastic element was also considered to simulate the joint thickness. The non-linear elements are represented by a fiber model with uniaxial constitutive laws for concrete and steel. To simulate the slab contribution, 1.0 m was considered for the effective flange width. The infill panels were simulated with bidiagonal struts and the bracing system with dissipaters were represented with bar elements (bracing) and a non-linear spring element for the dissipater.

The length of the non-linear fiber element was estimated on the basis of empirical formulae and taking into account that this element is a Timoshenko element with constant curvature (one integration point only). Assuming that the effective plastic hinge length can be estimated from the expression below and that the curvature in the plastic hinge zone has a parabolic distribution, the equivalent length hinge element,  $L_p^*$ , calculated for the same chord rotation, depends on the ductility. However, it tends asymptotically to half of the empirical value of the plastic hinge length.

**Concrete model** - In compression, a parabolic curve is assumed from the initial unloaded stage up to the peak stress values, with initial tangent modulus equal to the concrete Young modulus. The softening branch is described by a straight line, whose slope depends on the confinement degree. Under tensile stresses, the behaviour is described by a linear elastic branch with a subsequent softening branch, which accounts for tension stiffening effects. The cyclic

behaviour of concrete as been firstly described by a crude model representing the main feature of the concrete behaviour under cyclic loading and in a second stage the model has been improved in order to account for secondary effects such as crack closing and to avoid eventual numerical difficulties in the algorithms. Analytical formulae and detailed description of this model can be found elsewhere [Guedes, 1994].

**Steel model** - The steel model includes typical curves for monotonic and cyclic loading. The monotonic curve is characterised by an initial linear branch followed by a plateau and a hardening branch up to failure. The cyclic behaviour is described by the explicit formulation proposed by Giuffré and Pinto and implemented by Menegotto and Pinto (see [Guedes, 1994]).

**Masonry (infill) model** - The model for infill panels is the strut model proposed by [Combescure and Pegon, 1996]. It is a general multi-linear model which accounts for cracking, compression failure and strength degradation due to either monotonic or cyclic loading as well as for the pinching effects due the crack closing. The model assumes no tensile resistance and the behaviour in monotonic compression is described by a multi-linear curve including a primary linear elastic behaviour, a second branch approximating the cracking process and two final branches representing two phases of the masonry behaviour, which can be considered as a plastic behaviour (crushing of the masonry panel) with positive and subsequently negative strain hardening. Identification of the strut model parameters were performed by empirical expressions suggested by (Zarnic & Gostic, 1998).

**Dissipater model** - The dissipaters were simulated by a bilinear model as schematically represented in Fig. 3. The steel model introduced above was used to represent the constitutive uni-axial law of the dissipater setting the model parameters according to the relevant requirements, namely a sharp transition between the linear and the ‘post-yielding curves and the tangent of the asymptotic curve defining the post-yielding range.

#### 4. NON-LINEAR ANALYSES

Static pushover analyses were initially performed, in order to identify the global behaviour of the structure and to compare relative strengths of the materials (frame and frame+infills) and corresponding evolution with the imposed deformations. Non-linear analyses were performed for several earthquake intensities. Some results from the non-linear analyses are hereafter illustrated.

## Vulnerability Functions




Fig. 4: Global damage on the frame structure (evolution with input intensity)




Fig. 5: Energy dissipation (evolution with input intensity)

## 5. FIRST TEST RESULTS AGAINST NUMERICAL RESULTS

**Results from the tests on the bare frame specimen** - A series of pseudo-dynamic tests on the frame object of the present is currently been carried out at the ELSA laboratory. It is programmed to test both the infilled and the bare frame and to assess experimentally the effectiveness of various retrofitting solutions and techniques. The tests on the bare frame were just performed and a few results from these tests are hereafter presented.

The bare frame specimen (full-scale 4 storey R/C frame - without masonry infill) was subjected to one earthquake corresponding to 475 years return period (475-yrp) and subsequently a second PsD test with a 975-yrp was carried out. The results are given in Fig. 6-9, in terms of storey displacement, maximum inter-storey drift profiles for positive and negative deformations, energy dissipation and shear-drift diagrams for the 3<sup>rd</sup> storey.

It is apparent that the deformation demands concentrate in the 3<sup>rd</sup> and 4<sup>th</sup> storeys for the 475-yrp earthquake test and collapse of the 3<sup>rd</sup> storey was almost reached for the 975-yrp test. This test was stopped at 7.5 seconds in order to allow repair and retrofitting and to assess their effectiveness in the next tests.

From these tests on the bare frame it is possible to confirm the storey mechanism, which was expected to develop during the earthquake response. In fact, the structure represents design common practice of ~40 years ago when seismic loading was roughly considered or even not taken into account. From the shear-drift diagrams for the 475-yrp test it apparent a rather limited non-linear behaviour and quite limited damage was found after the test. Slight cracking at column extremities, as well as in the girders (at the slabs - for negative moments) could be observed and no spalling of cover concrete occurred.

The 975-yrp test was subsequently performed and was stooped at 7.5 seconds because failure of the 3<sup>rd</sup> storey was suddenly prompted. Clear hinging of the strong column of the 3<sup>rd</sup> floor at the base, top and also at the bars termination zone (700 mm from the column base) developed with severe damage (yielding, spalling and yielding of the stirrups at the bars termination one). Disclosure of the 90 degrees bent stirrups was not observed but it would certainly occur soon.

The results have been just available and a more detailed analysis is required. However, it is already possible to confirm the high vulnerability of these structures. In fact, it was demonstrated that, in spite of the very limited damages for the 475-yrp earthquake, the demands for a slightly higher intensity earthquake led to a eminent storey failure and consequent collapse of the structure. Development and validation of effective (also economically) retrofitting solutions and techniques for this type of structures is therefore urging. The second part of the testing campaign will devoted to these issues.




Fig. 6: Storey Displacements




Fig. 7: Maximum Drift Profiles




Fig. 8: Dissipated Energy (kNm)




Fig. 9: 3<sup>rd</sup> Storey Shear/Drift diagram

**Numerical modelling - refinement and model parameters** - One of the important objectives of the numerical benchmark on the response of the structure is to find out the most suitable numerical models to predict the seismic response of this kind of structures and to identify the sensitive of the models to their characteristic parameters. It is also expected that such a type of structures will experience shear failure, failure at the beam column joints and phenomena like slippage of rebars (steel rounded bars) and strain penetration. Therefore, one should use appropriate models to take into account most of the above mentioned phenomena.

The JRC used a fibre model considering a rectangular cross-section for the columns and a T-beam to represent the girders because such a model allows to consider both bending and shear, which is likely to control failure in the central stocky column [Guedes, 1997]. However, the following aspects were not taken appropriately into account: the inter-storey height was uniformly considered with 2.7 m but, as the beam element supporting the cross-section should be located at the cross-section centroid, the first story height must be shortened. Therefore, the first storey stiffness and strength were underestimated. Additionally, the slab participation was also almost neglected. This point is particularly relevant for the refined modelling considered because the effects of the slab reinforcement can be significant. In fact, as the equal displacement condition for the storey nodes is not imposed, the girder is allowed to deform axially and the section stiffness drops suddenly after cracking. On the contrary, this drop does not happen in the columns. Consequently the relative strength of the columns and girders may differ strongly from the reality.




Fig. 10: Drift profiles (numerical and experimental)




Fig. 11: LNEC 3<sup>rd</sup> Storey Shear/Drift diagram

The post test non-linear analyses taking into account the aspects discussed above are shown in Fig. 10-11 together with the results from the experimental tests and the numerical results obtained at LNEC. These non-linear analyses were performed with a Takeda-type model and the parameters for the multi-linear constitutive laws were obtained assuming full-cracked sections. Furthermore, bilinear models were considered for the envelope curve (pointing directly from origin to yielding). Therefore, the 2% damping considered by LNEC seems to be insufficient to take into account the cracking effects. The higher flexibility of the LNEC model is apparent in Fig. 11. However, the drift profiles (pattern) are rather well in agreement with the test results.

It is therefore, important to underline that much care should be taken in the modelling of this structures. Furthermore, the use of refined models may lead to unrealistic results if the model parameters are not correctly chosen. It is also clear that the sensitivity of the response to such model parameters is increases with the complexity of the models.

## 6. CONCLUSIONS

The results from the analyses show that the infill panels considerably protect the reinforced concrete frame. The numerical analyses for the retrofitted frame case allow to conclude that: - a) The proposed light retrofitting solution is effective for low, medium and high intensities but not particularly effective for very high intensities, when infill panels exist. This retrofitting system was designed for the bare frame and it is very effective for this case. However, a more accurate design shall take the infill panels into account (How?). b) The system leads only to a small increase of storey shear forces. c) Additional energy dissipation - The energy dissipation is equally shared by the RC frame, the infill panels and the retrofitting devices.

The preliminary results from the bare frame tests demonstrate how vulnerable is this type of structures. In spite of a ‘satisfactory performance’ for the nominal input motion, the structure exhibits a premature storey collapse mechanism (column hinging at the 3<sup>rd</sup> storey) for an input motion slightly higher than the nominal one.

## 7. REFERENCES

- [1] Carvalho et al. “Design of a 4-storey R/C frame to be tested at ELSA”. LNEC report, 1999.
- [2] Combescure, D.; Pego, P.; “Introduction of Two New Global Models in CASTEM 2000 for Seismic Analysis of Civil Engineering Structures”, JRC- Publication No. I.96.34; April 1996.
- [3] Griffith, M.; “Seismic Retrofit of R/C Frame Buildings with Masonry Infill Walls - Literature Review and Preliminary Case Study”, JRC-Special Publication (in print); 1999.
- [4] Guedes, J.; Pego, P.; Pinto, A. V.; “A Fibre-Timoshenko Beam Element in CASTEM 2000”, JRC-Special Publication No. I.94.31; July 1994.
- [5] Guedes, J. “Seismic behaviour od RC bridges – Modelling, numerical analysis and experimental assessment”. PhD Thesis. FEUP, University of Porto, 1997.
- [6] Pinto, A. V.; “Earthquake Performance of Structurers - Behaviour, Safety and Economical Aspects”; JRC-Special Publication No. I.98.111; September 1998.
- [7] Taucer F. “A displacement based design methodology for retrofitting of frame structures using dissipation devices”. JRC Special Publication, 1999.
- [8] Zarnic, R.; Gostic, S.; “Non-linear Modelling of Masonry Infilled Frames”; 11<sup>th</sup> ECEE; Balkema, Rotterdam, ISBN 90 5410 982 3; Paris, September 1998.

## ACKNOWLEDGEMENTS

The work presented has been developed under the ICONS TMR-Network research programme and the ELSA experimental tests on the 4-storey RC frames were financed by TMR – Large-scale facilities programme of the European Commission. The co-operation of the European institutions and researchers involved in ICONS is gratefully acknowledged.